



ISIS5300.ST25.txt
SEQUENCE LISTING

<110> Baker, Brenda F.
Eldrup, Anne B.
Manoharan, Muthiah
Bhat, Balkrishen
Griffey, Richard H.
Swayze, Eric E.
Crooke, Stanley T.

<120> CHIMERIC OLIGOMERIC COMPOUNDS AND THEIR USE IN GENE MODULATION

<130> ISIS-5300

<140> US 10/701,265

<141> 2003-11-04

<150> US 10/078,949

<151> 2002-02-20

<150> US 09/479,783

<151> 2000-01-07

<150> US 08/870,608

<151> 1997-06-06

<150> US 08/659,440

<151> 1996-06-06

<150> US 60/423,760

<151> 2002-11-05

<150> US 60/503,271

<151> 2003-09-15

<160> 75

<170> PatentIn version 3.2

<210> 1

<211> 19

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 1

cgagaggcgg acgggaccg

19

<210> 2

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 2

cgagaggcgg acgggaccgt t

21

<210> 3

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 3
cgggcccgtc cgcctctcgt t 21

<210> 4
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-O-methoxyethyl

<220>
<221> misc_feature
<222> (13)..(20)
<223> 2'-O-methoxyethyl

<400> 4
tccgtcatcg ctcctcaggg 20

<210> 5
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-O-methoxyethyl

<220>
<221> misc_feature
<222> (16)..(20)
<223> 2'-O-methoxyethyl

<400> 5
gtgcgcgcga gcccgaaatc 20

<210> 6
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-O-methoxyethyl

<220>
<221> misc_feature
<222> (16)..(20)
<223> 2'-O-methoxyethyl

<400> 6	
atgcattctg cccccaagga	20
<210> 7	
<211> 21	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Construct	
<400> 7	
caaauccaga ggcuaagcagt t	21
<210> 8	
<211> 21	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Construct	
<220>	
<221> misc_feature	
<222> (1)..(5)	
<223> 2'-O-methyl	
<400> 8	
cugcuagccu cuggauuugt t	21
<210> 9	
<211> 21	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Construct	
<220>	
<221> misc_feature	
<222> (2)..(6)	
<223> 2'-O-methyl	
<400> 9	
cugcuagccu cuggauuugt t	21
<210> 10	
<211> 21	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Construct	
<220>	
<221> misc_feature	
<222> (3)..(7)	
<223> 2'-O-methyl	
<400> 10	
cugcuagccu cuggauuugt t	21

<210> 11
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (4)..(8)
 <223> 2'-O-methyl

<400> 11
 cugcuagccu cuggauuugt t 21

<210> 12
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (5)..(9)
 <223> 2'-O-methyl

<400> 12
 cugcuagccu cuggauuugt t 21

<210> 13
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (13)..(21)
 <223> 2'-O-methyl modified nucleoside

<400> 13
 cugcuagccu cuggauuugu u 21

<210> 14
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (8)..(21)
 <223> 2'-O-methyl modified nucleoside

<400> 14
 cugcuagccu cuggauuugu u 21

<210> 15
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<400> 15
 aaguaaggac cagagacaaa 20

<210> 16
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<400> 16
 uuugucucug guccuacuu 20

<210> 17
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 2'-O-methyl modified nucleoside

<400> 17
 uuugucucug guccuacuu 20

<210> 18
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (15)..(17)
 <223> 2'-O-methyl modified nucleoside

<400> 18
 uuugucucug guccuacuu 20

<210> 19
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

```

<220>
<221> misc_feature
<222> (12)..(14)
<223> 2'-O-methyl modified nucleoside

<400> 19
uuugucucug guccuuacuu                                20

<210> 20
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (9)..(11)
<223> 2'-O-methyl modified nucleoside

<400> 20
uuugucucug guccuuacuu                                20

<210> 21
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (6)..(8)
<223> 2'-O-methyl modified nucleoside

<400> 21
uuugucucug guccuuacuu                                20

<210> 22
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (3)..(5)
<223> 2'-O-methyl modified nucleoside

<400> 22
uuugucucug guccuuacuu                                20

<210> 23
<211> 20
<212> RNA
<213> Artificial Sequence

<220>

```

```

<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-O-methyl modified nucleoside

<400> 23
uuugucucug guccuuacuu                                20

<210> 24
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-O-methyl modified nucleoside

<400> 24
cugcuagccu cuggauuugu u                                21

<210> 25
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 25
gucaaaucca gaggcua gca g                                21

<210> 26
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-O-methyl modified nucleoside

<400> 26
cugcuagccu cuggauuuga c                                21

<210> 27
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 27
cugcuagccu cuggauuuga c                                21

```

```

<210> 28
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (15)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 28
caaauccaga ggcuagcagu u 21

<210> 29
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (15)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 29
cugcuagccu cuggauuugu u 21

<210> 30
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 30
cugcuagccu cuggauuugu u 21

<210> 31
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 31
caaauccaga ggcuagcagu u 21

<210> 32
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

```



```

<220>
<221> misc_feature
<222> (16)..(20)
<223> 2'-O-methyl modified nucleoside

<400> 32
uuugucucug guccuuacuu                                20

<210> 33
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (14)..(20)
<223> 2'-O-methyl modified nucleoside

<400> 33
uuugucucug guccuuacuu                                20

<210> 34
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (12)..(20)
<223> 2'-O-methyl modified nucleoside

<400> 34
uuugucucug guccuuacuu                                20

<210> 35
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (4)..(7)
<223> 2'-O-Me containing monomers with PO linkages

<220>
<221> misc_feature
<222> (17)..(20)
<223> 2'-O-Me containing monomers with PO linkages

<400> 35
cugcuagccu cuggauuuga                                20

<210> 36

```

<211> 20
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(4)
 <223> 2'-O-Me containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (17)..(20)
 <223> 2'-O-Me containing monomers with PO linkages

<400> 36
 cugcuagccu cuggauuuga

20

<210> 37
 <211> 20
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (2)..(3)
 <223> PS linkage

<220>
 <221> misc_feature
 <222> (4)..(7)
 <223> 2'-O-Me containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> 2'-O-Me containing monomers with PO linkage

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 2'-O-Me containing monomers with PS linkages

<400> 37
 cugcuagccu cuggauuuga

20

<210> 38
 <211> 17
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 2'-O-Me containing monomers with PO linkage

<220>

<221> misc_feature
<222> (2)..(4)
<223> 2'-O-Me containing monomers with PS linkages

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-O-Me containing monomers with PO linkage

<220>
<221> misc_feature
<222> (15)..(17)
<223> 2'-O-Me containing monomers with PS linkages

<400> 38
cuagccucug gauuuga

17

<210> 39
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (2)..(20)
<223> PS linkages

<220>
<221> misc_feature
<222> (4)..(7)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (17)..(20)
<223> 2'-O-Me containing monomers

<400> 39
cugcuagccu cuggauuuga

20

<210> 40
<211> 17
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(4)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (2)..(17)
<223> monomers with PS linkages

<220>
<221> misc_feature
<222> (14)..(17)
<223> 2'-O-Me containing monomers

<400> 40
cuagccucug gauuuga 17

<210> 41
<211> 17
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(4)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (2)..(17)
<223> monomers having PS linkages

<220>
<221> misc_feature
<222> (14)..(17)
<223> 2'-O-Me containing monomers

<400> 41
gucucugguc cuuacuu 17

<210> 42
<211> 17
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(4)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (2)..(17)
<223> monomers with PS linkages

<220>
<221> misc_feature
<222> (14)..(17)
<223> 2'-O-Me containing monomers

<400> 42
uuuugucucu gguccuu 17

<210> 43
<211> 17
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>

<221> misc_feature
 <222> (1)..(4)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (2)..(17)
 <223> monomers having PS linkages

<220>
 <221> misc_feature
 <222> (14)..(17)
 <223> 2'-O-Me containing monomers

<400> 43
 cugguccuua cuucucc

17

<210> 44
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (2)..(20)
 <223> monomers having PS linkages

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 2'-O-Me containing monomers

<400> 44
 uuugucucug guccuuacuu

20

<210> 45
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (2)..(20)
 <223> monomers having PS linkages

<220>
 <221> misc_feature
 <222> (16)..(20)
 <223> 2'-O-Me containing monomers

<400> 45
 ucucuggucc uuacuucccc 20

<210> 46
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (2)..(20)
 <223> monomers having PS linkages

<220>
 <221> misc_feature
 <222> (4)..(7)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (17)..(20)
 <223> 2'-O-Me containing monomers

<400> 46
 uuugucucug guccuuacuu 20

<210> 47
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(19)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (7)..(8)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> 5-methyl cytidine

<400> 47
 cugcuagccu cuggauuugt t 21

<210> 48
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (3)..(21)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (9)..(9)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (15)..(16)
 <223> 5-methyl cytidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 5-methyl cytidine

<400> 48
 ttgacgaucg gagaccuaaa c

21

<210> 49
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> 2'-F containing monomers with PO linkages

<400> 49
 uuugucucug guccuuacuu

20

<210> 50
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> 2'-F containing monomers with PO linkages

```

<400> 50
aaacagagac caggaaugaa 20

<210> 51
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)
<223> 2'-F containing monomers with PS linkages

<400> 51
uuugucucug guccuuacuu 20

<210> 52
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> monomers with PS linkages

<220>
<221> misc_feature
<222> (15)..(17)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (18)..(20)
<223> monomers with PS linkages

<400> 52
uuugucucug guccuuacuu 20

<210> 53
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(11)
<223> monomers with PS linkages

<220>
<221> misc_feature
<222> (12)..(14)
<223> 2'-F containing monomers with PS linkages

<220>

```


<221> misc_feature
 <222> (15)..(20)
 <223> monomers with PS linkages

<400> 53
 uuugucucug guccuuacuu

20

<210> 54
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> monomers with PS linkages

<220>
 <221> misc_feature
 <222> (6)..(8)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (9)..(20)
 <223> monomers with PS linkages

<400> 54
 uuugucucug guccuuacuu

20

<210> 55
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> monomers with PS linkages

<220>
 <221> misc_feature
 <222> (3)..(5)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (6)..(20)
 <223> monomers with PS linkages

<400> 55
 uuugucucug guccuuacuu

20

<210> 56
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (4)..(20)
 <223> Monomers with PS linkages

<400> 56
 uuugucucug guccuuacuu 20

<210> 57
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(17)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 2'-F containing monomers with PS linkages

<400> 57
 uuugucucug guccuuacuu 20

<210> 58
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(8)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (9)..(11)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (12)..(20)
 <223> Monomers with PS linkages

<400> 58
 uuugucucug guccuuacuu 20

<210> 59
 <211> 20

<212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(15)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (16)..(20)
 <223> 2'-F containing monomers with PS linkages

<400> 59
 uuugucucug guccuuacuu

20

<210> 60
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (3)..(5)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (3)..(5)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (6)..(20)
 <223> Monomers with PS linkages

<400> 60
 uuugucucug guccuuacuu

20

<210> 61
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature

```

<222> (3)..(5)
<223> 2'-F containing monomers with PO linkages

<220>
<221> misc_feature
<222> (6)..(11)
<223> Monomers with PS linkages

<220>
<221> misc_feature
<222> (12)..(14)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (15)..(20)
<223> Monomers with PS linkages

<400> 61
uuugucucug guccuacuu 20

<210> 62
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (4)..(20)
<223> Monomers with PS linkages

<400> 62
uuugucucug guccuacuu 20

<210> 63
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (4)..(17)
<223> Monomers with PS linkages

<220>
<221> misc_feature
<222> (18)..(19)
<223> 2'-F containing monomers with PS linkages

<220>

```

<221> misc_feature
 <222> (20)..(20)
 <223> Monomers with PS linkages

<400> 63
 uuugucucug guccuuacuu

20

<210> 64
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers

<220>
 <221> misc_feature
 <222> (18)..(19)
 <223> 2'-F containing monomers

<400> 64
 uuugucucug guccuuacuu

20

<210> 65
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> Monomer with PS linkage

<220>
 <221> misc_feature
 <222> (5)..(7)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (8)..(13)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (14)..(16)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> Monomer with PS linkage

<220>
 <221> misc_feature
 <222> (18)..(19)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Monomer with PS linkage

<400> 65
 uuugucucug guccuacuu

20

<210> 66
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> 2'-OMe

<220>
 <221> misc_feature
 <222> (4)..(5)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (6)..(7)
 <223> 2'-OMe

<220>
 <221> misc_feature
 <222> (8)..(12)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (13)..(15)
 <223> 2'-OMe

<220>
 <221> misc_feature
 <222> (16)..(18)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (19)..(20)
 <223> 2'-OMe

<400> 66
 cugcuagccu cuggauuugu t

21

<210> 67
 <211> 20
 <212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(20)

<223> PS linkages

<220>

<221> misc_feature

<222> (8)..(9)

<223> 2'-F containing monomers

<220>

<221> misc_feature

<222> (12)..(13)

<223> 2'-F containing monomers

<220>

<221> misc_feature

<222> (18)..(20)

<223> 2'-OMe

<400> 67

uuugucucug guccuacuu

20

<210> 68

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 68

uucauuccug gucucuguuu

20

<210> 69

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(3)

<223> 2'-methoxyethoxy

<400> 69

uucauuccug gucucuguuu

20

<210> 70

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

```

<221> misc_feature
<222> (4)..(6)
<223> 2'-methoxyethoxy

<400> 70
uucauuccug gucucuguuu 20

<210> 71
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (7)..(9)
<223> 2'-methoxyethoxy

<400> 71
uucauuccug gucucuguuu 20

<210> 72
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (10)..(12)
<223> 2'-methoxyethoxy

<400> 72
uucauuccug gucucuguuu 20

<210> 73
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-methoxyethoxy

<400> 73
uucauuccug gucucuguuu 20

<210> 74
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

```


<220>
 <221> misc_feature
 <222> (16)..(18)
 <223> 2'-methoxyethoxy

<400> 74
 uucauuccug gucucuguuu 20

<210> 75
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 2'-methoxyethoxy

<400> 75
 uucauuccug gucucuguuu 20